

TCB**GRANT OF EQUIPMENT
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the
Federal Communications Commission****By:****Telefication B.V.
Edisonstraat 12a
Zevenaar, NL-6902 PK
Netherlands****Date of Grant: 12/20/2017****Application Dated: 12/20/2017****Shenzhen Chainway Information Technology Co.,
Ltd.****9/F, Building 2, Daqian Industrial Park,
Longchang Rd., District 67, Bao'an,
Shenzhen,
China****Attention: Li Wenzhang , Manager****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE,
and is VALID ONLY for the equipment identified hereon for use under the
Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AC6AC71**Name of Grantee:** Shenzhen Chainway Information
Technology Co., Ltd.**Equipment Class:** PCS Licensed Transmitter held to ear
Notes: Mobile Data Terminal**Grant Notes****FCC Rule Parts**

	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
22H	824.2 - 848.8	1.324	0.1459 PM	245KGXW
22H	824.2 - 848.8	0.458	0.1435 PM	246KG7W
22H	826.4 - 846.6	0.13	0.0956 PM	4M22F9W
24E	1850.2 - 1909.8	0.698	0.0532 PM	246KGXW
24E	1850.2 - 1909.8	0.341	0.0638 PM	244KG7W
24E	1852.4 - 1907.6	0.164	0.0479 PM	4M22F9W
27	1712.4 - 1752.6	0.166	0.0491 PM	4M22F9W
24E	1850.7 - 1909.3	0.159	0.0447 PM	17M9G7D
24E	1850.7 - 1909.3	0.137	0.0447 PM	18M0W7D
24E	1850.7 - 1909.3	0.161	0.0447 PM	1M11G7D
24E	1850.7 - 1909.3	0.136	0.0447 PM	1M10W7D
27	1710.7 - 1754.3	0.192	0.045 PM	17M9G7D
27	1710.7 - 1754.3	0.162	0.045 PM	18M0W7D

27	1710.7 - 1754.3	0.192	0.045 PM	4M53G7D
27	1710.7 - 1754.3	0.158	0.045 PM	9M06W7D
27	2502.5 - 2567.5	0.147	0.03 PM	17M9G7D
27	2502.55 - 2567.5	0.117	0.03 PM	18M0W7D
27	2502.5 - 2567.5	0.151	0.03 PM	4M53G7D
27	2502.5 - 2567.5	0.129	0.03 PM	4M55W7D
27	699.7 - 715.3	0.103	0.1004 PM	9M11G7D
27	699.7 - 715.3	0.09	0.1004 PM	9M09W7D
27	699.7 - 715.3	0.106	0.1004 PM	1M11G7D
27	699.7 - 715.3	0.092	0.1004 PM	1M11W7D
27	706.5 - 713.5	0.095	0.1 PM	9M06G7D
27	706.5 - 713.5	0.083	0.1 PM	9M05W7D
27	706.5 - 713.5	0.098	0.1 PM	4M54G7D
27	706.5 - 713.5	0.083	0.1 PM	4M57W7D

Output power is ERP for Part 22 and part 27(Below 1GHz) and EIRP for Part 24 and 27(Above 1GHz). SAR compliance for body-worn operating conditions is limited to the specific configuration tested for this filing. Body-worn operations are restricted to belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 10 mm separation between the device and the user's body, which includes use as hotspot. End users must be informed of the body worn requirements for satisfying RF Exposure compliance. The highest reported SAR values for head, body-worn accessory, hotspot, and simultaneous transmission use conditions are 0.45 W/kg, 0.69 W/kg, 0.69 W/kg, and 0.84 W/kg, respectively.

